

ANALYSIS TEMPLATE REPORT

Primary Element	Secondary Element	Weight	Unit	Element Rate	Value
64. Building Construction					
64-120-10	Patent stone flooring (1:2:4) with brick chips: 25 mm thick.				
10.	<u>Materials : Concrete</u>				
	10-040 Bricks : 1st Class	7.0000	No.	@ Tk. . . .per 1000 No.	Tk.
	10-100 Cement : Portland ...	9.4000	kg	@ Tk. . . .per kg	Tk.
	10-380 Sand, FM >= 1.5 ...	0.0115	cum	@ Tk. . . .per cum	Tk.
				Sub Total	Tk.
80.	<u>Labour</u>				
	80-375 Labour, Unskilled	0.1412	day	@ Tk. . . .per day	Tk.
	80-375 (Labour, Unskilled ...)	0.0014	day	@ Tk. . . .per day	Tk. (Misc. Sundry)
	80-425 Mason ..	0.1009	day	@ Tk. . . .per day	Tk.
	80-430 Mason, Head ...	0.0060	day	@ Tk. . . .per day	Tk.
				Sub Total	Tk.
				Sum of Sub Total	Tk.
				Overhead &	2.5 Tk.
				Item Total	Tk.
				Contractor's	10 % Tk.
				Total	Tk.
				VAT	5.5 % Tk.
				Item Grand Total	Tk.