

তত্ত্বাবধায়ক প্রকৌশলীর দপ্তর
ডিজাইন সার্কেল-২, বাপাউবো
৭২, গ্রীন রোড (৩য় তলা)
ঢাকা-১২১৫
ফোন - ৯১১৭৬০৯



Office of the
Superintending Engineer
Design Circle-II, BWDB
72, Green Road, Dhaka-1215
Telephone: 9117609

স্মারক নং- ক-৩২/আপডেট/১৫/৬৫৮

তারিখঃ- ০৫/০৭/২০১৫ ইং।


বরাবর,
প্রধান প্রকৌশলী,
ডিজাইন, বাপাউবো, ঢাকা।

বিষয় :- **BWDB Standard schedule –এ অন্তর্ভুক্ত বিভিন্ন সাইজের জিও ব্যাগ ও জিও টেক্সটাইল এর দর পরিবর্তন প্রসঙ্গে।**

মহোদয়,

যথাযথ সম্মান প্রদর্শন পূর্বক উপরোক্ত বিষয়ের প্রেক্ষিতে জানানো যাচ্ছে যে, জিও টেক্সটাইল প্রস্তুতে ব্যবহৃত কাচামাল এর দর আন্তর্জাতিক বাজারে ক্রমশঃ পরিপ্রেক্ষিতে BWDB schedule এ অন্তর্ভুক্ত জিও টেক্সটাইল ফিল্টার ও জিও ব্যাগ এর দর পরিবর্তন করা হল। বিভিন্ন সার্কেলের জন্য জিও টেক্সটাইল ফিল্টার ও জিও ব্যাগ সমূহের দর সংশ্লিষ্ট সার্কেলের তত্ত্বাবধায়ক প্রকৌশলীর নিকট প্রেরিত অত্র চিঠির কপির সাথে সংযুক্ত করা হল (সংযুক্তি-১)।

ইহা আপনার সদয় অবগতির জন্য প্রেরণ করা হ'ল।



(কাজী তোফায়েল হোসেন)
তত্ত্বাবধায়ক প্রকৌশলী,
ডিজাইন সার্কেল-২,
বাপাউবো, ঢাকা।
তারিখ- ০৫/০৭/২০১৫ ইং

স্মারক নং ক-৩২/আপডেট/১৫/

অনুলিপি সংযুক্তিসহ অবগতি/ সদয় অবগতির জন্য প্রেরণ করা হ'ল। (জ্যেষ্ঠতার ভিত্তিতে নয়) :-

১. প্রধান প্রকৌশলী, কেন্দ্রীয় অঞ্চল, বাপাউবো, ঢাকা।
২. প্রধান প্রকৌশলী, উত্তরাঞ্চল, বাপাউবো, রংপুর।
৩. প্রধান প্রকৌশলী, দক্ষিণাঞ্চল, বাপাউবো, বরিশাল।
৪. প্রধান প্রকৌশলী, উত্তর-পূর্বাঞ্চল, বাপাউবো, কুমিল্লা।
৫. প্রধান প্রকৌশলী, দক্ষিণ-পূর্বাঞ্চল, বাপাউবো, চট্টগ্রাম।
৬. প্রধান প্রকৌশলী, উত্তর-পশ্চিমাঞ্চল, বাপাউবো, রাজশাহী।
৭. প্রধান প্রকৌশলী, দক্ষিণ-পশ্চিমাঞ্চল, বাপাউবো, খুলনা।
৮. প্রধান প্রকৌশলী, মধ্য-পশ্চিমাঞ্চল, বাপাউবো, ফরিদপুর।
৯. তত্ত্বাবধায়ক প্রকৌশলী, বরিশাল পওর সার্কেল, বাপাউবো, বরিশাল।
১০. তত্ত্বাবধায়ক প্রকৌশলী, ভোলা পওর সার্কেল, বাপাউবো, ভোলা।
১১. তত্ত্বাবধায়ক প্রকৌশলী, বগুড়া পওর সার্কেল, বাপাউবো, বগুড়া।
১২. তত্ত্বাবধায়ক প্রকৌশলী, চাঁদপুর পওর সার্কেল, বাপাউবো, চাঁদপুর।
১৩. তত্ত্বাবধায়ক প্রকৌশলী, চিটাগাং পওর সার্কেল, বাপাউবো, চিটাগাং।
১৪. তত্ত্বাবধায়ক প্রকৌশলী, কুমিল্লা পওর সার্কেল, বাপাউবো, কুমিল্লা।
১৫. তত্ত্বাবধায়ক প্রকৌশলী, ঢাকা পওর সার্কেল, বাপাউবো, ঢাকা।
১৬. তত্ত্বাবধায়ক প্রকৌশলী, ফরিদপুর পওর সার্কেল, বাপাউবো, ফরিদপুর।
১৭. তত্ত্বাবধায়ক প্রকৌশলী, ফেনী পওর সার্কেল, বাপাউবো, ফেনী।
১৮. তত্ত্বাবধায়ক প্রকৌশলী, যশোর পওর সার্কেল, বাপাউবো, যশোর।

১৯. তত্ত্বাবধায়ক প্রকৌশলী, খুলনা পওর সার্কেল, বাপাউবো, খুলনা।
২০. তত্ত্বাবধায়ক প্রকৌশলী, কুষ্টিয়া পওর সার্কেল, বাপাউবো, কুষ্টিয়া।
২১. তত্ত্বাবধায়ক প্রকৌশলী, মৌলভীবাজার পওর সার্কেল, বাপাউবো, মৌলভীবাজার।
২২. তত্ত্বাবধায়ক প্রকৌশলী, ময়মনসিংহ পওর সার্কেল, বাপাউবো, ময়মনসিংহ।
২৩. তত্ত্বাবধায়ক প্রকৌশলী, পাবনা পওর সার্কেল, বাপাউবো, পাবনা।
২৪. তত্ত্বাবধায়ক প্রকৌশলী, পটুয়াখালী পওর সার্কেল, বাপাউবো, পটুয়াখালী।
২৫. তত্ত্বাবধায়ক প্রকৌশলী, রাজশাহী পওর সার্কেল, বাপাউবো, রাজশাহী।
২৬. তত্ত্বাবধায়ক প্রকৌশলী, রংপুর পওর সার্কেল, বাপাউবো, রংপুর।
২৭. তত্ত্বাবধায়ক প্রকৌশলী, সিলেট পওর সার্কেল, বাপাউবো, সিলেট।
২৮. তত্ত্বাবধায়ক প্রকৌশলী, ঠাকুরগাঁও পওর সার্কেল, বাপাউবো, ঠাকুরগাঁও।
২৯. নথির কপি।


০৫/০৭/১০

(কাজী তোফায়েল হোসেন)

তত্ত্বাবধায়ক প্রকৌশলী,
ডিজাইন সার্কেল-২,
বাপাউবো, ঢাকা।



ELEMENT RATES For Barisal O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex, filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

Sida *[Signature]*

ELEMENT RATES For Bhola O & M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex.filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

Sida

20.

ELEMENT RATES For Bogra O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

Sida  

ELEMENT RATES For Chandpur O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter;thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter;thick>=2.0mm;mass>300gm/m ²	sqm	54.00
20-281	Geotex filter;thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter;thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

Sida  

ELEMENT RATES For Chittagong O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

anla A M.

ELEMENT RATES For Comilla O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter:thick>=4mm;mass>=550gm/m ²	sqm	119.00

Handwritten signatures and initials in blue ink at the bottom of the page.

ELEMENT RATES For Dhaka O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

Handwritten signatures and initials in blue ink at the bottom of the page.

ELEMENT RATES For Faridpur O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00



ELEMENT RATES For Feni O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex.filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00



ELEMENT RATES For Jessore O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00



ELEMENT RATES For Khulna O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex filter:thick>=4mm;mass>=550gm/m ²	sqm	119.00

ELEMENT RATES For Kushtia O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter;thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter;thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter;thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter;thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

Sida A

ELEMENT RATES For Moulvibazar O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex.filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00



ELEMENT RATES For Mymensingh O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick $\geq$ 1.5mm;mass $\geq$ 200gm/m ²	sqm	50.40
20-280	Geotex filter:thick $\geq$ 2.0mm;mass $\geq$ 300gm/m ²	sqm	56.00
20-281	Geotex filter:thick $\geq$ 2.5mm;mass $\geq$ 350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick $\geq$ 3.0mm;mass $\geq$ 400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick $\geq$ 4mm;mass $\geq$ 550gm/m ²	sqm	119.00



ELEMENT RATES For Pabna O & M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

aida  

ELEMENT RATES For Patuakhali WD Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00



ELEMENT RATES For Rajshahi O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20 . Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter:thick>=4mm;mass>=550gm/m ²	sqm	119.00

Sida  


ELEMENT RATES For Rangpur O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter;thick $\geq$ 1.5mm;mass $>$ 200gm/m ²	sqm	50.40
20-280	Geotex filter;thick $\geq$ 2.0mm;mass $>$ 300gm/m ²	sqm	56.00
20-281	Geotex filter;thick $\geq$ 2.5mm;mass $>$ 350gm/m ²	sqm	66.50
20-282	Geo-tex filter;thick $\geq$ 3.0mm;mass $>$ 400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick $\geq$ 4mm;mass $>$ 550gm/m ²	sqm	119.00

Sida  

ELEMENT RATES For Sylhet O&M Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00




ELEMENT RATES For Thakurgaon O & M Cir Circle

Code	Description	Unit Meas.	Rate (Taka)
20. Materials : Misc.			
20-278	Geotex filter:thick>=1.5mm;mass>200gm/m ²	sqm	50.40
20-280	Geotex filter:thick>=2.0mm;mass>300gm/m ²	sqm	56.00
20-281	Geotex.filter:thick>=2.5mm;mass>350gm/m ²	sqm	66.50
20-282	Geo-tex filter:thick>=3.0mm;mass>400 gm/m ²	sqm	87.50
20-283	Geotex. filter;thick>=4mm;mass>=550gm/m ²	sqm	119.00

Sida  

ITEM RATE For Barisal O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	269.93
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	224.97
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	220.17
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	174.61
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	156.24
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.73



ITEM RATE For Barisal O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-600-10	Supply and laying geotex filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	138.95
40-600-20	Supply and laying geotex filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	145.95
40-600-30	Supply and laying geotex filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	159.06
40-600-40	Supply and laying geotex filter: thick=>3.00mm, mass=>400 g/m ²	sqm	185.29
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	224.63





ITEM RATE For Bhola O & M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt =175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt =125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt =110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.96

Sida

AP

/

ITEM RATE For Bhola O & M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-600-10	Supply and laying geotex filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	129.64
40-600-20	Supply and laying geotex filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	136.63
40-600-30	Supply and laying geotex filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	149.75
40-600-40	Supply and laying geotex filter: thick=>3.00mm, mass=>400 g/m ²	sqm	175.98
40-600-50	Supply and laying geotex filter: thick>=4mm, mass>=550 gm/m ²	sqm	215.32

Sla

SA

H.

ITEM RATE For Bogra O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.96

aida EP. N.

ITEM RATE For Bogra O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	122.20
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	129.20
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	142.31
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	168.54
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	207.89





ITEM RATE For Chandpur O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	268.34
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	223.44
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	218.67
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	173.30
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.97
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	129.62



ITEM RATE For Chandpur O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	131.52
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	138.52
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	151.63
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	177.86
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	217.20

Sida

LP

S.

ITEM RATE For Chittagong O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	270.19
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	225.23
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	220.43
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	174.83
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	156.45
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.92





ITEM RATE For Chittagong O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
----------	-------------	------------	-------------

40. Protective Work

40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	146.80
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	151.29
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	166.91
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	193.13
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	232.48





ITEM RATE For Comilla O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.70
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.81
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	218.05
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.77
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.45
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	129.17

Sida

SP

A.

ITEM RATE For Comilla O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	131.52
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	138.52
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	151.63
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	177.86
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	217.20

ada A S.

ITEM RATE For Dhaka O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	269.13
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	224.25
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	219.49
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	173.97
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	155.66
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.20

Sida *AB* *h.*

ITEM RATE For Dhaka O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	146.80
40-600-20	Supply and laying geotex filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	153.79
40-600-30	Supply and laying geotex filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	166.91
40-600-40	Supply and laying geotex filter: thick=>3.00mm, mass=>400 g/m ²	sqm	193.13
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	232.48

Sida

EP

N.

ITEM RATE For Faridpur O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size=1075mm x 850mm, wt.=175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.96





ITEM RATE For Faridpur O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	129.64
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	136.63
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	149.75
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	175.98
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	215.32

Signature *Signature* *Signature*

ITEM RATE For Feni O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	269.30
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	224.33
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	219.53
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	174.07
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	155.69
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.27

Sida DP

ITEM RATE For Feni O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	142.68
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	149.68
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	162.79
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	189.02
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	228.36

Sida

A

N.

ITEM RATE For Jessore O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
----------	-------------	------------	-------------

40. Protective Work

40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	131.52
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	138.52
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	151.63
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	177.86
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	217.20





ITEM RATE For Jessore O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.96





ITEM RATE For Khulna O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.96

Sda

PB

A.

ITEM RATE For Khulna O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	129.64
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	136.63
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	149.75
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	175.98
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	215.32

Sida *Ar* *Ar*

ITEM RATE For Kushtia O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	269.93
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	224.97
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	220.17
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	174.61
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	156.24
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.73

Sida *AP* *St.*

ITEM RATE For Kushtia O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	138.95
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	145.95
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	159.06
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	185.29
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	224.63

Sida *SP* *h.*

ITEM RATE For Moulvibazar O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.96

Sida

A

N.

ITEM RATE For Moulvibazar O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	129.64
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	136.63
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	149.75
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	175.98
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	215.32

Sida

AP

N.

ITEM RATE For Mymensingh O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	269.93
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	224.97
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	220.17
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	174.61
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	156.24
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.73

Sida *EP* *N.*

ITEM RATE For Mymensingh O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	138.95
40-600-20	Supply and laying geotex filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	145.95
40-600-30	Supply and laying geotex filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	159.06
40-600-40	Supply and laying geotex filter: thick=>3.00mm, mass=>400 g/m ²	sqm	185.29
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	224.63

Sela

B

N.

ITEM RATE For Pabna O & M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.96



ITEM RATE For Pabna O & M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	129.64
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	136.63
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	149.75
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	175.98
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	215.32

Sida *SA* *N.*

ITEM RATE For Patuakhali WD Circle

ItemCode	Description	Unit Meas.	Rate (Taka)
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	269.93
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	224.97
40-485-20	Supplying empty geo-bags; size=1075mm x 850mm, wt.=175 kg	no	220.17
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	174.61
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	156.24
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.73

Sida

AP

A.

ITEM RATE For Patuakhali WD Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	138.95
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	145.95
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	159.06
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	185.29
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	224.63

Sida *AB* *St.*

ITEM RATE For Rajshahi O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.42
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.52
40-485-20	Supplying empty geo-bags; size=1075mm x 850mm, wt.=175 kg	no	217.76
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.53
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.21
40-485-50	Supplying empty geo-bags; size= 800mmx650mm, wt=80kg	no	128.96

Sida *PP* *N.*

ITEM RATE For Rajshahi O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	129.64
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	136.63
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	149.75
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	175.98
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	215.32

Sida

AP

N.

ITEM RATE For Sylhet O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	270.19
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	225.23
40-485-20	Supplying empty geo-bags; size=1075mm x 850mm, wt.=175 kg	no	220.43
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	174.83
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	156.45
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	130.92

Sila

AB

A.

ITEM RATE For Sylhet O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	146.80
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	153.79
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	166.91
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	193.13
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	232.48

Sida

AP

A.

ITEM RATE For Rangpur O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	267.34
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	222.45
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	217.69
40-485-30	Supplying empty geo-bags; size=950mmx750mm; wt.=125kg	no	172.47
40-485-40	Supplying empty geo-bags; size=900mmx700mm; wt.=110kg	no	154.15
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	128.91

Sida

PB

A.

ITEM RATE For Rangpur O&M Circle

ItemCode	Description	Unit Meas.	Rate (Taka
----------	-------------	------------	------------

40. Protective Work

40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	122.17
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	129.16
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	142.28
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	168.51
40-600-50	Supply and laying geotex. filter,thick>=4mm,mass>=550 gm/m ²	sqm	207.85



ITEM RATE For Thakurgaon O & M Cir Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-485-10	Supplying empty geo-bags; size=1200mmx950mm, wt=250kg	no	270.41
40-485-15	Supplying empty geo-bags; size=1100mmx850mm, wt=200kg	no	225.45
40-485-20	Supplying empty geo-bags; size =1075mm x 850mm, wt.=175 kg	no	220.64
40-485-30	Supplying empty geo-bags; size=950mmx750mm, wt.=125kg	no	175.01
40-485-40	Supplying empty geo-bags; size=900mmx700mm, wt.=110kg	no	156.63
40-485-50	Supplying empty geo-bags; size= 800mmx650mm; wt=80kg	no	131.07

Sida *BB* *h.*

ITEM RATE For Thakurgaon O & M Cir Circle

ItemCode	Description	Unit Meas.	Rate (Taka
40. Protective Work			
40-600-10	Supply and laying geotex.filter: thick=>1.5mm, mass=>200 gm/m ²	sqm	138.95
40-600-20	Supply and laying geotex.filter: thick=>2.0mm, mass=>300 gm/m ²	sqm	145.95
40-600-30	Supply and laying geotex.filter: thick=>2.5mm, Mass=>350 gm/m ²	sqm	159.06
40-600-40	Supply and laying geotex.filter: thick=>3.00mm,mass=>400 g/m ²	sqm	185.29
40-600-50	Supply and laying geotex. filter;thick>=4mm,mass>=550 gm/m ²	sqm	224.63

side

AD

Ad.