

তত্ত্বাবধায়ক প্রকৌশলীর দপ্তর
ডিজাইন সার্কেল-২, বাপাউবো
৭২ গ্রীণ রোড (৩য় তলা)
ঢাকা-১২১৫
ফোন - ৯১১৭৬০৯



Office of the
Superintending Engineer
Design Circle-II, BWDB
72 Green Road, Dhaka-1215
Telephone: 9117609

Email: se.design2@bwdb.gov.bd

স্মারক নং-ক-৩২/আপডেট/২০/ ৮৯০

তারিখ : ৫/১১/২০২০

বরাবর

প্রধান প্রকৌশলী
নকশা,
বাপাউবো, ঢাকা।

বিষয় : BWDB Standard Schedule of Rates এর এলিমেন্ট কোড 60-417 এর দর হালনাগাদকরণ প্রসঙ্গে।

মহোদয়,

যথাযথ সম্মান প্রদর্শনপূর্বক জানানো যাচ্ছে যে, BWDB Standard Schedule of Rates এর এলিমেন্ট কোড 60-417 (Pipe, Conduit, P.V.C., 25 mm dia) এর দর হালনাগাদ করা হয়েছে এবং উক্ত এলিমেন্টের সাথে সংশ্লিষ্ট আইটেম কোড 84-110-10, 84-110-20, 84-110-40, 84-120-10, 84-120-20, 84-120-40 হতে 84-120-60, 84-120-80, 84-150-05 হতে 84-150-60, 84-160-05 হতে 84-160-50 এবং 84-190-05 হতে 84-190-50 আইটেম সমূহের দরও হালনাগাদ করা হয়েছে।

উক্ত এলিমেন্টের Element Rate (সংযুক্তি-১) এবং সংশ্লিষ্ট আইটেমসমূহের বিভিন্ন সার্কেলের Item Rate (সংযুক্তি-২) অত্র পত্রের সাথে সংযুক্ত করে সংশ্লিষ্ট সকল সার্কেলের তত্ত্বাবধায়ক প্রকৌশলীর নিকট প্রেরণ করা হল।

ইহা আপনার সদয় অবগতি ও প্রয়োজনীয় ব্যবস্থা গ্রহণের জন্য প্রেরণ করা হল।

আপনার অনুগত,

০৫/১১/২০২০

(মোঃ আমিনুল ইসলাম)

তত্ত্বাবধায়ক প্রকৌশলী
ডিজাইন সার্কেল-২,
বাপাউবো, ঢাকা।

পরিচিতি নং- ৭৮১১১৬০০১

১৫/১১/২০২০
তারিখঃ

স্মারক নং-ক-৩২/আপডেট/২০/

অনুলিপি সদয় অবগতি/অবগতি ও প্রয়োজনীয় ব্যবস্থা গ্রহণের জন্য প্রেরণ করা হল :-

১. প্রধান, মনিটরিং, বাপাউবো, ঢাকা।
২. প্রধান, পরিকল্পনা, বাপাউবো, ঢাকা।
৩. প্রধান প্রকৌশলী, স্থানি বিজ্ঞান, বাপাউবো, ঢাকা।
৪. প্রধান প্রকৌশলী, কেন্দ্রীয় অঞ্চল, বাপাউবো, ঢাকা।
৫. প্রধান প্রকৌশলী, উত্তরাঞ্চল, বাপাউবো, রংপুর।
৬. প্রধান প্রকৌশলী, দক্ষিণাঞ্চল, বাপাউবো, বরিশাল।
৭. প্রধান প্রকৌশলী, পূর্বাঞ্চল, বাপাউবো, কুমিল্লা।
৮. প্রধান প্রকৌশলী, দক্ষিণ-পূর্বাঞ্চল, বাপাউবো, চট্টগ্রাম।
৯. প্রধান প্রকৌশলী, উত্তর-পশ্চিমাঞ্চল, বাপাউবো, রাজশাহী।
১০. প্রধান প্রকৌশলী, দক্ষিণ-পশ্চিমাঞ্চল, বাপাউবো, খুলনা।
১১. প্রধান প্রকৌশলী, মধ্য-পশ্চিমাঞ্চল, বাপাউবো, ফরিদপুর।
১২. প্রধান প্রকৌশলী, উত্তর-পূর্বাঞ্চল, বাপাউবো, সিলেট।
১৩. প্রধান প্রকৌশলী, আইসিজেড ও ক্লাইমেট চেঞ্জ ম্যানেজমেন্ট, বাপাউবো, ঢাকা।
১৪. প্রধান প্রকৌশলী, ড্যাম এন্ড ব্যারেজ, বাপাউবো, ঢাকা।
১৫. প্রধান প্রকৌশলী, যান্ত্রিক সরঞ্জাম পরিদপ্তর, বাপাউবো, ঢাকা।
১৬. প্রধান প্রকৌশলী, পণ্ডর পরিদপ্তর, বাপাউবো, আনসার চেম্বার, ঢাকা।
১৭. অতিরিক্ত প্রধান প্রকৌশলী, ড্রেজার পরিদপ্তর, বাপাউবো, নারায়ণগঞ্জ।
১৮. অতিরিক্ত প্রধান প্রকৌশলী, ড্রেজার পরিদপ্তর, বাপাউবো, খুলনা।
১৯. অতিরিক্ত প্রধান প্রকৌশলী, গঙ্গা ব্যারেজ সমীক্ষা প্রকল্প, বাপাউবো, ঢাকা।
২০. পরিচালক, পণ্ডর পরিদপ্তর, বাপাউবো, ওয়াপদা ভবন, ঢাকা।

২১. পরিচালক, ভূ-গর্ভস্থ পানি বিজ্ঞান পরিদপ্তর, বাপাউবো, ঢাকা।
২২. প্রকল্প পরিচালক, উপকূলীয় বাঁধ পুনর্বাসন প্রকল্প, সিইআইপি-১, গুলশান-২, বাপাউবো, ঢাকা।
২৩. প্রকল্প পরিচালক, পিএমইউ, সেচ ব্যবস্থাপনা উন্নয়ন প্রকল্প (আইএমইপি), মুহুরি সেচ প্রকল্প (এমআইপি), হাসান কোর্ট (৪র্থ তলা), বাপাউবো, ঢাকা।
২৪. প্রকল্প পরিচালক, পিএমইউ-ইএসপিপি ও প্রকল্প সমন্বয় পরিচালক, সিডিএমসি-৪, বাপাউবো, ঢাকা।
২৫. প্রকল্প পরিচালক, পানি ব্যবস্থাপনা উন্নয়ন প্রকল্প (ওয়ামিপ-পিসিইউ), বাপাউবো, গ্রীণরোড, ঢাকা।
২৬. প্রকল্প পরিচালক, হাওর এলাকায় বন্যা ব্যবস্থাপনা ও জীবনমান উন্নয়ন প্রকল্প, বাপাউবো, মতিঝিল, ঢাকা।
২৭. প্রকল্প পরিচালক, দক্ষিণ-পশ্চিমাঞ্চলীয় সমন্বিত পানি সম্পদ পরিকল্পনা ও ব্যবস্থাপনা প্রকল্প, ফেজ-২, বাপাউবো, ফরিদপুর।
২৮. প্রকল্প পরিচালক, পিএমও-এফআরইআরএমআইপি, ফিরোজ টাওয়ার, পাথরপথ, গ্রীণরোড, বাপাউবো, ঢাকা।
২৯. প্রকল্প পরিচালক, গড়ই নদী পুনরুদ্ধার প্রকল্প (২য় পর্যায়), বাপাউবো, ঢাকা।
৩০. তত্ত্বাবধায়ক প্রকৌশলী, মনিটরিং সার্কেল, কাবিখা, বাপাউবো, ঢাকা।
৩১. তত্ত্বাবধায়ক প্রকৌশলী, পি এন্ড ডি মেকানিক্যাল সার্কেল, বাপাউবো, ঢাকা।
৩২. তত্ত্বাবধায়ক প্রকৌশলী, যাস পরিচালন (পশ্চিম সার্কেল), বাপাউবো, ঢাকা।
৩৩. তত্ত্বাবধায়ক প্রকৌশলী, ভূ-গর্ভস্থ পানি বিজ্ঞান সার্কেল, বাপাউবো, ঢাকা।
৩৪. তত্ত্বাবধায়ক প্রকৌশলী, রিভার মনুফলজি এন্ড রিসার্চ সার্কেল, বাপাউবো, ঢাকা।
৩৫. তত্ত্বাবধায়ক প্রকৌশলী, প্রসেসিং এন্ড ফ্লাড ফোরকাস্টিং সার্কেল, বাপাউবো, ঢাকা।
৩৬. তত্ত্বাবধায়ক প্রকৌশলী, বরিশাল পওর সার্কেল, বাপাউবো, বরিশাল।
৩৭. তত্ত্বাবধায়ক প্রকৌশলী, ভোলা পওর সার্কেল, বাপাউবো, ভোলা।
৩৮. তত্ত্বাবধায়ক প্রকৌশলী, বগুড়া পওর সার্কেল, বাপাউবো, বগুড়া।
৩৯. তত্ত্বাবধায়ক প্রকৌশলী, চাঁদপুর পওর সার্কেল, বাপাউবো, চাঁদপুর।
৪০. তত্ত্বাবধায়ক প্রকৌশলী, চট্টগ্রাম পওর সার্কেল, বাপাউবো, চট্টগ্রাম।
৪১. তত্ত্বাবধায়ক প্রকৌশলী, কুমিল্লা পওর সার্কেল, বাপাউবো, কুমিল্লা।
৪২. তত্ত্বাবধায়ক প্রকৌশলী, ঢাকা পওর সার্কেল, বাপাউবো, ঢাকা।
৪৩. তত্ত্বাবধায়ক প্রকৌশলী, ফরিদপুর পওর সার্কেল, বাপাউবো, ফরিদপুর।
৪৪. তত্ত্বাবধায়ক প্রকৌশলী, ফেনী পওর সার্কেল, বাপাউবো, ফেনী।
৪৫. তত্ত্বাবধায়ক প্রকৌশলী, যশোর পওর সার্কেল, বাপাউবো, যশোর।
৪৬. তত্ত্বাবধায়ক প্রকৌশলী, খুলনা পওর সার্কেল, বাপাউবো, খুলনা।
৪৭. তত্ত্বাবধায়ক প্রকৌশলী, কুষ্টিয়া পওর সার্কেল, বাপাউবো, কুষ্টিয়া।
৪৮. তত্ত্বাবধায়ক প্রকৌশলী, মৌলভীবাজার পওর সার্কেল, বাপাউবো, মৌলভীবাজার।
৪৯. তত্ত্বাবধায়ক প্রকৌশলী, ময়মনসিংহ পওর সার্কেল, বাপাউবো, ময়মনসিংহ।
৫০. তত্ত্বাবধায়ক প্রকৌশলী, পাবনা পওর সার্কেল, বাপাউবো, পাবনা।
৫১. তত্ত্বাবধায়ক প্রকৌশলী, রাজশাহী পওর সার্কেল, বাপাউবো, রাজশাহী।
৫২. তত্ত্বাবধায়ক প্রকৌশলী, রংপুর পওর সার্কেল-১, বাপাউবো, রংপুর।
৫৩. তত্ত্বাবধায়ক প্রকৌশলী, রংপুর পওর সার্কেল-২, বাপাউবো, রংপুর।
৫৪. তত্ত্বাবধায়ক প্রকৌশলী, সিলেট পওর সার্কেল, বাপাউবো, সিলেট।
৫৫. তত্ত্বাবধায়ক প্রকৌশলী, ঠাকুরগাঁও পওর সার্কেল, বাপাউবো, ঠাকুরগাঁও।
৫৬. তত্ত্বাবধায়ক প্রকৌশলী, কক্সবাজার পওর সার্কেল, বাপাউবো, কক্সবাজার।
৫৭. তত্ত্বাবধায়ক প্রকৌশলী, পটুয়াখালী পওর সার্কেল, বাপাউবো, পটুয়াখালী।
৫৮. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-১, বাপাউবো, ঢাকা।
৫৯. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৩, বাপাউবো, ঢাকা।
৬০. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৪, বাপাউবো, ঢাকা।
৬১. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৫, বাপাউবো, ঢাকা।
৬২. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৬, বাপাউবো, ঢাকা।
৬৩. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৭, বাপাউবো, ঢাকা।
৬৪. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৮, বাপাউবো, ঢাকা।
৬৫. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৯, বাপাউবো, ঢাকা।
৬৬. পরিচালক, কন্ট্রাক্ট ও প্রকিউরমেন্ট সেল, বাপাউবো, ঢাকা।
৬৭. পরিচালক, পরিকল্পনা পরিদপ্তর-১, বাপাউবো, ঢাকা।
৬৮. পরিচালক, পরিকল্পনা পরিদপ্তর-২, বাপাউবো, ঢাকা।
৬৯. পরিচালক, পরিকল্পনা পরিদপ্তর-৩, বাপাউবো, ঢাকা।
৭০. এসিএস ও টু, মহাপরিচালক, বাপাউবো, ঢাকা।
৭১. ব্যক্তিগত সহকারী, অতিরিক্ত মহাপরিচালক (পরিকল্পনা), বাপাউবো, ঢাকা।
৭২. ব্যক্তিগত সহকারী, অতিরিক্ত মহাপরিচালক (পশ্চিম রিজিয়ন), বাপাউবো, ঢাকা।
৭৩. ব্যক্তিগত সহকারী, অতিরিক্ত মহাপরিচালক (পূর্ব রিজিয়ন), বাপাউবো, ঢাকা।
৭৪. নথির কপি।

(মোঃ আমিনুল ইসলাম)
তত্ত্বাবধায়ক প্রকৌশলী
ডিজাইন সার্কেল-২,
বাপাউবো, ঢাকা।
পরিচিতি নং- ৭৮১১১৬০০১

তত্ত্বাবধায়ক প্রকৌশলীর দপ্তর
ডিজাইন সার্কেল-২, বাপাউবো
৭২ গ্রীণ রোড (৩য় তলা)
ঢাকা-১২১৫
ফোন - ৯১১৭৬০৯



Office of the
Superintending Engineer
Design Circle-II, BWDB
72 Green Road, Dhaka-1215
Telephone: 9117609

Email: se.design2@bwdb.gov.bd

স্মারক নং-ক-৩২/আপডেট/২০/

তারিখ :

বরাবর

প্রধান প্রকৌশলী
নকশা,
বাপাউবো, ঢাকা।

বিষয় : BWDB Standard Schedule of Rates এর এলিমেন্ট কোড 60-417 এর দর হালনাগাদকরণ প্রসঙ্গে।

মহোদয়,

যথাযথ সম্মান প্রদর্শনপূর্বক জানানো যাচ্ছে যে, BWDB Standard Schedule of Rates এর এলিমেন্ট কোড 60-417 (Pipe, Conduit, P.V.C., 25 mm dia) এর দর হালনাগাদ করা হয়েছে এবং উক্ত এলিমেন্টের সাথে সংশ্লিষ্ট আইটেম কোড 84-110-10, 84-110-20, 84-110-40, 84-120-10, 84-120-20, 84-120-40 হতে 84-120-60, 84-120-80, 84-150-05 হতে 84-150-60, 84-160-05 হতে 84-160-50 এবং 84-190-05 হতে 84-190-50 আইটেম সমূহের দরও হালনাগাদ করা হয়েছে।

উক্ত এলিমেন্টের Element Rate (সংযুক্তি-১) এবং সংশ্লিষ্ট আইটেমসমূহের বিভিন্ন সার্কেলের Item Rate (সংযুক্তি-২) অত্র পত্রের সাথে সংযুক্ত করে সংশ্লিষ্ট সকল সার্কেলের তত্ত্বাবধায়ক প্রকৌশলীর নিকট প্রেরণ করা হল।

ইহা আপনার সদয় অবগতি ও প্রয়োজনীয় ব্যবস্থা গ্রহণের জন্য প্রেরণ করা হল।

আপনার অনুগত,

৯০,

(মোঃ আমিনুল ইসলাম)
তত্ত্বাবধায়ক প্রকৌশলী
ডিজাইন সার্কেল-২,
বাপাউবো, ঢাকা।
পরিচিতি নং- ৭৮১১১৬০০১


স্মারক নং-ক-৩২/আপডেট/২০/ ৮২৬/১(৭১)

তারিখঃ ৮/১১/২০২০

অনুলিপি সদয় অবগতি/অবগতি ও প্রয়োজনীয় ব্যবস্থা গ্রহণের জন্য প্রেরণ করা হল :-

১. প্রধান, মনিটরিং, বাপাউবো, ঢাকা।
২. প্রধান, পরিকল্পনা, বাপাউবো, ঢাকা।
৩. প্রধান প্রকৌশলী, পানি বিজ্ঞান, বাপাউবো, ঢাকা।
৪. প্রধান প্রকৌশলী, কেন্দ্রীয় অঞ্চল, বাপাউবো, ঢাকা।
৫. প্রধান প্রকৌশলী, উত্তরাঞ্চল, বাপাউবো, রংপুর।
৬. প্রধান প্রকৌশলী, দক্ষিণাঞ্চল, বাপাউবো, বরিশাল।
৭. প্রধান প্রকৌশলী, পূর্বাঞ্চল, বাপাউবো, কুমিল্লা।
৮. প্রধান প্রকৌশলী, দক্ষিণ-পূর্বাঞ্চল, বাপাউবো, চট্টগ্রাম।
৯. প্রধান প্রকৌশলী, উত্তর-পশ্চিমাঞ্চল, বাপাউবো, রাজশাহী।
১০. প্রধান প্রকৌশলী, দক্ষিণ-পশ্চিমাঞ্চল, বাপাউবো, খুলনা।
১১. প্রধান প্রকৌশলী, মধ্য-পশ্চিমাঞ্চল, বাপাউবো, ফরিদপুর।
১২. প্রধান প্রকৌশলী, উত্তর-পূর্বাঞ্চল, বাপাউবো, সিলেট।
১৩. প্রধান প্রকৌশলী, আইসিজেড ও ক্লাইমেট চেঞ্জ ম্যানেজমেন্ট, বাপাউবো, ঢাকা।
১৪. প্রধান প্রকৌশলী, ড্যাম এন্ড ব্যারেজ, বাপাউবো, ঢাকা।
১৫. প্রধান প্রকৌশলী, যান্ত্রিক সরঞ্জাম পরিদপ্তর, বাপাউবো, ঢাকা।
১৬. প্রধান প্রকৌশলী, পণ্ডর পরিদপ্তর, বাপাউবো, আনসার চেম্বার, ঢাকা।
১৭. অতিরিক্ত প্রধান প্রকৌশলী, ড্রেজার পরিদপ্তর, বাপাউবো, নারায়ণগঞ্জ।
১৮. অতিরিক্ত প্রধান প্রকৌশলী, ড্রেজার পরিদপ্তর, বাপাউবো, খুলনা।
১৯. অতিরিক্ত প্রধান প্রকৌশলী, গঙ্গা ব্যারেজ সমীক্ষা প্রকল্প, বাপাউবো, ঢাকা।
২০. পরিচালক, পণ্ডর পরিদপ্তর, বাপাউবো, ওয়াপদা ভবন, ঢাকা।

২১. পরিচালক, ভূ-গর্ভস্থ পানি বিজ্ঞান পরিদপ্তর, বাপাউবো, ঢাকা।
২২. প্রকল্প পরিচালক, উপকূলীয় বাধা পুনর্বাসন প্রকল্প, সিইআইপি-১, গুলশান-২, বাপাউবো, ঢাকা।
২৩. প্রকল্প পরিচালক, পিএমইউ, সেচ ব্যবস্থাপনা উন্নয়ন প্রকল্প (আইএমইপি), মুহুরি সেচ প্রকল্প (এমআইপি), হাসান কোর্ট (৪র্থ তলা), বাপাউবো, ঢাকা।
২৪. প্রকল্প পরিচালক, পিএমইউ-ইএসপিপি ও প্রকল্প সমন্বয় পরিচালক, সিডিএমসি-৪, বাপাউবো, ঢাকা।
২৫. প্রকল্প পরিচালক, পানি ব্যবস্থাপনা উন্নয়ন প্রকল্প (ওয়ামিপ-পিসিইউ), বাপাউবো, গ্রীণরোড, ঢাকা।
২৬. প্রকল্প পরিচালক, হাওর এলাকায় বন্যা ব্যবস্থাপনা ও জীবনমান উন্নয়ন প্রকল্প, বাপাউবো, মতিবিল, ঢাকা।
২৭. প্রকল্প পরিচালক, দক্ষিণ-পশ্চিমাঞ্চলীয় সমন্বিত পানি সম্পদ পরিকল্পনা ও ব্যবস্থাপনা প্রকল্প, ফেজ-২, বাপাউবো, ফরিদপুর।
২৮. প্রকল্প পরিচালক, পিএমও-এফআরইআরএমআইপি, ফিরোজ টাওয়ার, পাটপথ, গ্রীনরোড, বাপাউবো, ঢাকা।
২৯. প্রকল্প পরিচালক, গড়াই নদী পুনরুদ্ধার প্রকল্প (২য় পর্যায়), বাপাউবো, ঢাকা।
৩০. তত্ত্বাবধায়ক প্রকৌশলী, মনিটরিং সার্কেল, কাবিখা, বাপাউবো, ঢাকা।
৩১. তত্ত্বাবধায়ক প্রকৌশলী, পি এন্ড ডি মেকানিক্যাল সার্কেল, বাপাউবো, ঢাকা।
৩২. তত্ত্বাবধায়ক প্রকৌশলী, যাস পরিচালন (পশ্চিম সার্কেল), বাপাউবো, ঢাকা।
৩৩. তত্ত্বাবধায়ক প্রকৌশলী, ভূ-গর্ভস্থ পানি বিজ্ঞান সার্কেল, বাপাউবো, ঢাকা।
৩৪. তত্ত্বাবধায়ক প্রকৌশলী, রিভার মরফলজি এন্ড রিসার্চ সার্কেল, বাপাউবো, ঢাকা।
৩৫. তত্ত্বাবধায়ক প্রকৌশলী, প্রেসিং এন্ড ফ্লাড ফোরকাস্টিং সার্কেল, বাপাউবো, ঢাকা।
৩৬. তত্ত্বাবধায়ক প্রকৌশলী, বরিশাল পওর সার্কেল, বাপাউবো, বরিশাল।
৩৭. তত্ত্বাবধায়ক প্রকৌশলী, ভোলা পওর সার্কেল, বাপাউবো, ভোলা।
৩৮. তত্ত্বাবধায়ক প্রকৌশলী, বগুড়া পওর সার্কেল, বাপাউবো, বগুড়া।
৩৯. তত্ত্বাবধায়ক প্রকৌশলী, চাঁদপুর পওর সার্কেল, বাপাউবো, চাঁদপুর।
৪০. তত্ত্বাবধায়ক প্রকৌশলী, চট্টগ্রাম পওর সার্কেল, বাপাউবো, চট্টগ্রাম।
৪১. তত্ত্বাবধায়ক প্রকৌশলী, কুমিল্লা পওর সার্কেল, বাপাউবো, কুমিল্লা।
৪২. তত্ত্বাবধায়ক প্রকৌশলী, ঢাকা পওর সার্কেল, বাপাউবো, ঢাকা।
৪৩. তত্ত্বাবধায়ক প্রকৌশলী, ফরিদপুর পওর সার্কেল, বাপাউবো, ফরিদপুর।
৪৪. তত্ত্বাবধায়ক প্রকৌশলী, ফেনী পওর সার্কেল, বাপাউবো, ফেনী।
৪৫. তত্ত্বাবধায়ক প্রকৌশলী, যশোর পওর সার্কেল, বাপাউবো, যশোর।
৪৬. তত্ত্বাবধায়ক প্রকৌশলী, খুলনা পওর সার্কেল, বাপাউবো, খুলনা।
৪৭. তত্ত্বাবধায়ক প্রকৌশলী, কুষ্টিয়া পওর সার্কেল, বাপাউবো, কুষ্টিয়া।
৪৮. তত্ত্বাবধায়ক প্রকৌশলী, মৌলভীবাজার পওর সার্কেল, বাপাউবো, মৌলভীবাজার।
৪৯. তত্ত্বাবধায়ক প্রকৌশলী, ময়মনসিংহ পওর সার্কেল, বাপাউবো, ময়মনসিংহ।
৫০. তত্ত্বাবধায়ক প্রকৌশলী, পাবনা পওর সার্কেল, বাপাউবো, পাবনা।
৫১. তত্ত্বাবধায়ক প্রকৌশলী, রাজশাহী পওর সার্কেল, বাপাউবো, রাজশাহী।
৫২. তত্ত্বাবধায়ক প্রকৌশলী, রংপুর পওর সার্কেল-১, বাপাউবো, রংপুর।
৫৩. তত্ত্বাবধায়ক প্রকৌশলী, রংপুর পওর সার্কেল-২, বাপাউবো, রংপুর।
৫৪. তত্ত্বাবধায়ক প্রকৌশলী, সিলেট পওর সার্কেল, বাপাউবো, সিলেট।
৫৫. তত্ত্বাবধায়ক প্রকৌশলী, ঠাকুরগাঁও পওর সার্কেল, বাপাউবো, ঠাকুরগাঁও।
৫৬. তত্ত্বাবধায়ক প্রকৌশলী, কক্সবাজার পওর সার্কেল, বাপাউবো, কক্সবাজার।
৫৭. তত্ত্বাবধায়ক প্রকৌশলী, পটুয়াখালী পওর সার্কেল, বাপাউবো, পটুয়াখালী।
৫৮. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-১, বাপাউবো, ঢাকা।
৫৯. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৩, বাপাউবো, ঢাকা।
৬০. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৪, বাপাউবো, ঢাকা।
৬১. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৫, বাপাউবো, ঢাকা।
৬২. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৬, বাপাউবো, ঢাকা।
৬৩. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৭, বাপাউবো, ঢাকা।
৬৪. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৮, বাপাউবো, ঢাকা।
৬৫. তত্ত্বাবধায়ক প্রকৌশলী, ডিজাইন সার্কেল-৯, বাপাউবো, ঢাকা।
৬৬. পরিচালক, কন্ট্রোল ও প্রকিউরমেন্ট সেল, বাপাউবো, ঢাকা।
৬৭. পরিচালক, পরিকল্পনা পরিদপ্তর-১, বাপাউবো, ঢাকা।
৬৮. পরিচালক, পরিকল্পনা পরিদপ্তর-২, বাপাউবো, ঢাকা।
৬৯. পরিচালক, পরিকল্পনা পরিদপ্তর-৩, বাপাউবো, ঢাকা।
৭০. সিএস ও টু, মহাপরিচালক, বাপাউবো, ঢাকা।
৭১. ব্যক্তিগত সহকারী, অতিরিক্ত মহাপরিচালক (পরিকল্পনা), বাপাউবো, ঢাকা।
৭২. ব্যক্তিগত সহকারী, অতিরিক্ত মহাপরিচালক (পশ্চিম রিজিয়ন), বাপাউবো, ঢাকা।
৭৩. ব্যক্তিগত সহকারী, অতিরিক্ত মহাপরিচালক (পূর্ব রিজিয়ন), বাপাউবো, ঢাকা।
৭৪. নথির কপি।


 (মোঃ আমিনুল ইসলাম)
 তত্ত্বাবধায়ক প্রকৌশলী
 ডিজাইন সার্কেল-২,
 বাপাউবো, ঢাকা।
 পরিচিতি নং- ৭৮১১১৬০০১
 Kashfin
 05.11.2020

১০২৫৮-১০

Printed: November 01, 2020

ELEMENT RATES For Barishal O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka Q/k ~~Q/k~~ ~~Q/k~~ ~~Q/k~~

ELEMENT RATES For Bhola O&M Circle

Year : 2019-20

Code	Description	Unit	Meas.	Rate (Taka)
60 . Electrical Work				
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100	m	2,300.00

ka *Arbe* ~~MA~~ ~~B~~

car

Printed: November 01, 2020

ELEMENT RATES For Bogura O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka @ 222 (14) 25 25

ELEMENT RATES For Chandpur O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka @sbe (M) ☆ km

ELEMENT RATES For Chattogram O&M Circle

Year : 2019-20

Code	Description	Unit	Meas.	Rate (Taka)
60 . Electrical Work				
60-417	Pipe, Conduit, P.V.C., 25 mm dia ...	100	m	2,300.00

ka Anka ~~HA~~ ~~HA~~ com

Printed: November 01, 2020

ELEMENT RATES For Cox's Bazar WD Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka @/be ~~ST~~ \$ ~~un~~

ELEMENT RATES For Cumilla O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka    

Printed: November 01, 2020

ELEMENT RATES For Dhaka O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka    

Printed: November 01, 2020

ELEMENT RATES For Faridpur O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka    

ELEMENT RATES For Feni O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka Mba ~~HA~~ R lan

ELEMENT RATES For Jashore O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka @ka (S) # on

ELEMENT RATES For Khulna O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka

Abd

SM

R

on

ELEMENT RATES For Kushtia O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka

Abbe

~~KA~~

~~KA~~

un

ELEMENT RATES For Moulvibazar O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka

Q/Se

④

R

can

ELEMENT RATES For Mymensingh O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka *Oshe*   

Printed: November 01, 2020

ELEMENT RATES For Pabna O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka

Plb

~~GA~~ R

an

ELEMENT RATES For Patuakhali WD Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka Baka   

Printed: November 01, 2020

ELEMENT RATES For Rajshahi O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka Bha ~~PA~~ R can

ELEMENT RATES For Rangpur O&M Circle-1

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka

Alba

~~CA~~

R

van

ELEMENT RATES For Rangpur O&M Circle-2

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka @/be (AA) R on

ELEMENT RATES For Sylhet O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

ka

Mba

~~HA~~

~~HA~~

on

Printed: November 01, 2020

ELEMENT RATES For Thakurgaon O&M Circle

Year : 2019-20

Code	Description	Unit Meas.	Rate (Taka)
60 . Electrical Work			
60-417	Pipe, Conduit, P.V.C., 25 mm dia	100 m	2,300.00

Ka Bala ~~HA~~ ~~HA~~ un

১৭২৭৩১-২

Printed: November 01, 2020

ITEM RATES For Barishal O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka

Ma

TH R

con

Printed: November 01, 2020

ITEM RATES For Barishal O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,527.54
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,527.54

K Rabe   

Printed: November 01, 2020

ITEM RATES For Barishal O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,725.10
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,574.81
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,574.81

Ka

Maba

~~CH~~

~~B~~

un

Printed: November 01, 2020

ITEM RATES For Barishal O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,725.10

Ka Akha (CA) R an

ITEM RATES For Barishal O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.75
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.63
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.27
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.27
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.99
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.63
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.47
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.47
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	626.07
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.74

ka M/Be   

Printed: November 01, 2020

ITEM RATES For Bhola O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka @/ba (MA) R on

Printed: November 01, 2020

ITEM RATES For Bhola O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,528.75
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,528.75

ka Mha (PA) R can

Printed: November 01, 2020

ITEM RATES For Bhola O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,726.44
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,576.14
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,576.14

Ka Alpha   

Printed: November 01, 2020

ITEM RATES For Bhola O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,726.44

Ka @bha ~~CH~~ R un

ITEM RATES For Bhola O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.92
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.80
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.44
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.44
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	437.16
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.80
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.64
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.64
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	626.24
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.91







Printed: November 01, 2020

ITEM RATES For Bogura O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Dyba (H) D can

ITEM RATES For Bogura O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,525.72
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,525.72

Ka Mjbe ~~MA~~ K on

Printed: November 01, 2020

ITEM RATES For Bogura O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,723.10
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,572.81
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,572.81

Ka M/ka (PA) R bn

Printed: November 01, 2020

ITEM RATES For Bogura O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,723.10

ka    

ITEM RATES For Bogura O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.50
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.38
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.01
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.01
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.74
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.37
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.22
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.22
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.82
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.49

K

Mika





ITEM RATES For Chandpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,525.72
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,525.72

16 MBR (M) R or

Printed: November 01, 2020

ITEM RATES For Chandpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,723.10
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,572.81
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,572.81

Ka *Myka*   

Printed: November 01, 2020

ITEM RATES For Chandpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,723.10

Ka M/ka (H) ~~BE~~ an

ITEM RATES For Chandpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.50
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.38
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.01
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.01
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.74
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.37
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.22
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.22
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.82
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.49

Ka Bha   on

Printed: November 01, 2020

ITEM RATES For Chattogram O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,021.34
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,021.34

Ka    

Printed: November 01, 2020

ITEM RATES For Chattogram O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,093.46
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,573.03
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,573.03

Ka Mba (MA) R m

Printed: November 01, 2020

ITEM RATES For Chattogram O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,774.78
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,624.49
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,624.49

ka Bkba (DA) B m

Printed: November 01, 2020

ITEM RATES For Chattogram O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,774.78

Ka Mba (M) R

ITEM RATES For Chattogram O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	276.33
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	264.21
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	307.85
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	307.85
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	380.57
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	344.21
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	429.05
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	429.05
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	569.65
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	766.65
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	235.97
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	260.21
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	296.57
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	320.81
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	417.78
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	369.30
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	466.26
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	502.62
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	745.04
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	672.31
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	338.05
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	325.93
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	369.57
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	369.57
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	442.29
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	405.93
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	490.77
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	490.77
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	631.37
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	578.04







Printed: November 01, 2020

ITEM RATES For Cox's Bazar WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,021.34
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,021.34

Ka Pkha (PKA) * m

Printed: November 01, 2020

ITEM RATES For Cox's Bazar WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,093.46
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,576.06
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,576.06

Ka    

Printed: November 01, 2020

ITEM RATES For Cox's Bazar WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,778.12
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,627.82
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,627.82

K Riba (S) R m

Printed: November 01, 2020

ITEM RATES For Cox's Bazar WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,778.12

Ka Akbar (MA) R on

ITEM RATES For Cox's Bazar WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	276.33
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	264.21
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	307.85
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	307.85
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	380.57
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	344.21
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	429.05
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	429.05
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	569.65
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	766.65
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	235.97
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	260.21
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	296.57
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	320.81
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	417.78
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	369.30
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	466.26
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	502.62
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	745.04
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	672.31
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	338.48
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	326.36
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	369.99
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	369.99
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	442.72
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	406.35
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	491.20
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	491.20
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	631.80
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	578.47

Ka

Maha

PK

A

on

Printed: November 01, 2020

ITEM RATES For Cumilla O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

ka Mike   on

Printed: November 01, 2020

ITEM RATES For Cumilla O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,526.32
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,526.32

Ka Dykka   

Printed: November 01, 2020

ITEM RATES For Cumilla O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,723.77
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,573.47
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,573.47

Ka Pka ~~99~~ ~~A~~ am

Printed: November 01, 2020

ITEM RATES For Cumilla O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,723.77

Ka Mike  B 

ITEM RATES For Cumilla O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.58
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.46
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.10
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.10
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.82
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.46
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.30
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.30
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.90
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.57

K Bha ~~BA~~ R m

Printed: November 01, 2020

ITEM RATES For Dhaka O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,021.34
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,021.34

Ka Moka ~~PK~~ R un

Printed: November 01, 2020

ITEM RATES For Dhaka O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,093.46
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,572.43
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,572.43

ka Mba   

Printed: November 01, 2020

ITEM RATES For Dhaka O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,774.12
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,623.82
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,623.82

Ka *Chika*   

Printed: November 01, 2020

ITEM RATES For Dhaka O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,774.12

Ka @/be   

ITEM RATES For Dhaka O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	276.33
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	264.21
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	307.85
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	307.85
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	380.57
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	344.21
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	429.05
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	429.05
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	569.65
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	766.65
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	235.97
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	260.21
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	296.57
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	320.81
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	417.78
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	369.30
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	466.26
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	502.62
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	745.04
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	672.31
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	337.97
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	325.85
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	369.48
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	369.48
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	442.21
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	405.84
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	490.69
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	490.69
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	631.29
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	577.96

K

Babu

M

R

m

Printed: November 01, 2020

ITEM RATES For Faridpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,001.62
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,001.62

Ka Pbe  R 

Printed: November 01, 2020

ITEM RATES For Faridpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,073.74
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,537.62
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,537.62

K M A R W

Printed: November 01, 2020

ITEM RATES For Faridpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,736.35
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,586.06
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,586.06

Ka @kba ~~SKA~~ R on

Printed: November 01, 2020

ITEM RATES For Faridpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,736.35

Ka

BKa

SA

R

un

ITEM RATES For Faridpur O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.64
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.52
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	305.15
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	305.15
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.88
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.51
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.36
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.36
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.96
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	764.01
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.28
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.52
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.88
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	318.12
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	415.09
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.60
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.57
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.93
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.34
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.62
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	333.72
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	321.60
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	365.24
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	365.24
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	437.96
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	401.60
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	486.44
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	486.44
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	627.04
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	573.71

K    

Printed: November 01, 2020

ITEM RATES For Feni O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka *Arker*   

Printed: November 01, 2020

ITEM RATES For Feni O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,527.54
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,527.54

Ka    

Printed: November 01, 2020

ITEM RATES For Feni O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,725.10
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,574.81
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,574.81

Ka *[Signature]* *[Signature]* *[Signature]* *[Signature]*

Printed: November 01, 2020

ITEM RATES For Feni O&M Circle

Year: 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,725.10

Ka Mka ~~PA~~ ~~B~~ on

ITEM RATES For Feni O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.75
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.63
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.27
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.27
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.99
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.63
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.47
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.47
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	626.07
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.74

Ka Mba   

Printed: November 01, 2020

ITEM RATES For Jashore O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Mbe (CD) R on

Printed: November 01, 2020

ITEM RATES For Jashore O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,525.11
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,525.11

Ka Bide ~~BA~~ R 100

Printed: November 01, 2020

ITEM RATES For Jashore O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,722.44
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,572.14
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,572.14

Ka Bk/ka   

Printed: November 01, 2020

ITEM RATES For Jashore O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,722.44

Ka Anka ~~TH~~ R can

ITEM RATES For Jashore O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.41
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.29
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	363.93
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	363.93
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.65
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.29
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.13
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.13
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.73
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.40

Ka Mba   

ITEM RATES For Khulna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Pba ~~GA~~ K can

Printed: November 01, 2020

ITEM RATES For Khulna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,526.32
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,526.32

Ka Pkha (PA) B m

Printed: November 01, 2020

ITEM RATES For Khulna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,723.77
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,573.47
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,573.47

Ka    

Printed: November 01, 2020

ITEM RATES For Khulna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,723.77

Ka Akbe ~~GA~~ ~~R~~ or

ITEM RATES For Khulna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.58
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.46
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.10
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.10
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.82
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.46
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.30
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.30
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.90
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.57







Printed: November 01, 2020

ITEM RATES For Kushtia O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Mba ~~HA~~ ~~HA~~ on

ITEM RATES For Kushtia O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,526.93
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,526.93

Ka Akar  B 

Printed: November 01, 2020

ITEM RATES For Kushtia O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,724.44
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,574.14
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,574.14

Ka Mba ~~PK~~ R on

Printed: November 01, 2020

ITEM RATES For Kushtia O&M Circle

Year : 2019-20


Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,724.44

Ka Rabe @ B on

ITEM RATES For Kushtia O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.67
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.55
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.18
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.18
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.90
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.54
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.39
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.39
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.99
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.66

K Mba   

Printed: November 01, 2020

ITEM RATES For Moulvibazar O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

ka    

Printed: November 01, 2020

ITEM RATES For Moulvibazar O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,524.51
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,524.51

Ka Mba   

Printed: November 01, 2020

ITEM RATES For Moulvibazar O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,721.77
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,571.47
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,571.47

Ka Rba (10) R on

Printed: November 01, 2020

ITEM RATES For Moulvibazar O&M Circle

Year: 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,721.77

ka Pke @ B or

ITEM RATES For Moulvibazar O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.33
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.21
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	363.84
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	363.84
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.57
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.20
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.05
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.05
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.65
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.32

K    

Printed: November 01, 2020

ITEM RATES For Mymensingh O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Mba ~~ST~~ ~~R~~ ~~un~~

Printed: November 01, 2020

ITEM RATES For Mymensingh O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,526.93
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,526.93

ka ~~aka~~ ~~GA~~ ~~R~~ ~~an~~

Printed: November 01, 2020

ITEM RATES For Mymensingh O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,724.44
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,574.14
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,574.14

Ka Paba   

Printed: November 01, 2020

ITEM RATES For Mymensingh O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,724.44

ka Pbs ~~PA~~ R on

ITEM RATES For Mymensingh O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.67
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.55
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.18
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.18
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.90
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.54
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.39
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.39
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.99
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.66

Ka Oba   

Printed: November 01, 2020

ITEM RATES For Pabna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Pabna (M) R in

Printed: November 01, 2020

ITEM RATES For Pabna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,527.54
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,527.54

K. A.   

Printed: November 01, 2020

ITEM RATES For Pabna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,725.10
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,574.81
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,574.81

Ka Rba   

Printed: November 01, 2020

ITEM RATES For Pabna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,725.10

ka Pake   on

ITEM RATES For Pabna O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.75
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.63
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.27
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.27
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.99
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.63
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.47
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.47
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	626.07
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.74

Ka

Mhe





Printed: November 01, 2020

ITEM RATES For Patuakhali WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Akbar   

Printed: November 01, 2020

ITEM RATES For Patuakhali WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,529.72
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,529.72

Ka Abu MA R on

Printed: November 01, 2020

ITEM RATES For Patuakhali WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,727.50
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,577.21
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,577.21

Ka Pka ~~PA~~ R un

Printed: November 01, 2020

ITEM RATES For Patuakhali WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,727.50

Ka

Bka

~~PA~~

~~PA~~

Wm

ITEM RATES For Patuakhali WD Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	333.06
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.94
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.57
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.57
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	437.30
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.93
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.78
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.78
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	626.38
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	573.05

Ka Babar   

Printed: November 01, 2020

ITEM RATES For Rajshahi O&M Circle

Year: 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastem)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Mba   on

Printed: November 01, 2020

ITEM RATES For Rajshahi O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,526.32
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,526.32

Ka

Ryba

(M)

R

in

Printed: November 01, 2020

ITEM RATES For Rajshahi O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,723.77
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,573.47
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,573.47

ka

Amber

SA

R

un

Printed: November 01, 2020

ITEM RATES For Rajshahi O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,723.77

ka Rha  B 

ITEM RATES For Rajshahi O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.58
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.46
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	364.10
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	364.10
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.82
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.46
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.30
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.30
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.90
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.57







Printed: November 01, 2020

ITEM RATES For Rangpur O&M Circle-1

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Bk   

Printed: November 01, 2020

ITEM RATES For Rangpur O&M Circle-1

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,525.11
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,525.11

Ka Paba   

Printed: November 01, 2020

ITEM RATES For Rangpur O&M Circle-1

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,722.44
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,572.14
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,572.14

Ka Mka MA R on

Printed: November 01, 2020

ITEM RATES For Rangpur O&M Circle-1

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,722.44

Ka Pka   un

ITEM RATES For Rangpur O&M Circle-1

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.41
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.29
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	363.93
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	363.93
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.65
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.29
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.13
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.13
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.73
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.40

ka Ma CA K m

Printed: November 01, 2020

ITEM RATES For Rangpur O&M Circle-2

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

Ka Bha   

ITEM RATES For Rangpur O&M Circle-2

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,525.11
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,525.11

Ka Ma   

Printed: November 01, 2020

ITEM RATES For Rangpur O&M Circle-2

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,722.44
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,572.14
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,572.14

Ka Mike   

Printed: November 01, 2020

ITEM RATES For Rangpur O&M Circle-2

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,722.44

ka

Bba

Q

R

can

ITEM RATES For Rangpur O&M Circle-2

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.41
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	320.29
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	363.93
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	363.93
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.65
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	400.29
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	485.13
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	485.13
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.73
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.40

Ka

Mba

PA

K

en

Printed: November 01, 2020

ITEM RATES For Sylhet O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,021.34
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,021.34

Ka Pka   con

Printed: November 01, 2020

ITEM RATES For Sylhet O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,093.46
84-120-10	Concealed distribution wiring : light point (Eastern).....	point	2,568.79
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,568.79

Ka

Raka





on

Printed: November 01, 2020

ITEM RATES For Sylhet O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,770.12
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,619.82
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,619.82

Ka Mba   

Printed: November 01, 2020

ITEM RATES For Sylhet O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,770.12

Ka

Alsa

GA

R

on

ITEM RATES For Sylhet O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	276.33
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	264.21
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	307.85
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	307.85
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	380.57
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	344.21
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	429.05
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	429.05
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	569.65
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	766.65
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	235.97
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	260.21
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	296.57
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	320.81
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	417.78
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	369.30
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	466.26
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	502.62
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	745.04
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	672.31
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	337.46
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	325.34
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	368.97
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	368.97
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	441.70
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	405.34
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	490.18
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	490.18
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	630.78
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	577.45

K

Ciba

E

R

W

Printed: November 01, 2020

ITEM RATES For Thakurgaon O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-10	Distribution wiring (surface conduit) : Light point(Eastern)	point	2,000.09
84-110-20	Distribution wiring (surface conduit) : fan point(Eastern)..	point	2,000.09

ka Mba (MA) * on

Printed: November 01, 2020

ITEM RATES For Thakurgaon O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-110-40	Distribution wiring (surface conduit) : call bell (Eastern).	point	2,072.21
84-120-10	Concealed distribution wiring : light point (Eastern)	point	2,522.69
84-120-20	Concealed distribution wiring : fan point (Eastern)	point	2,522.69

Ka

Mke

~~MA~~

~~R~~

or

Printed: November 01, 2020

ITEM RATES For Thakurgaon O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-40	Concealed distribution wiring : call bell point (Eastern) ..	point	2,719.77
84-120-50	Concealed distribution wiring : light point (Jam/BRB/Sun) ..	point	2,569.47
84-120-60	Concealed distribution wiring : fan point (Jam/BRB/Sun)	point	2,569.47

Ka Pka ~~MA~~ ~~A~~ or

Printed: November 01, 2020

ITEM RATES For Thakurgaon O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-120-80	Concealed distribution wiring: call bell point (Jam/BRB/Sun)	point	2,719.77

K Mba ~~MA~~ ~~MA~~ m

ITEM RATES For Thakurgaon O&M Circle

Year : 2019-20

Item Code	Description	Unit Meas.	Rate (Taka)
84 . Electrical Work			
84-150-05	Surface conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	273.42
84-150-10	Surface conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	261.30
84-150-15	Surface conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	304.93
84-150-20	Surface conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	304.93
84-150-25	Surface conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	377.65
84-150-30	Surface conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	341.29
84-150-35	Surface conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	426.14
84-150-40	Surface conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	426.14
84-150-45	Surface conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	566.74
84-150-60	Surface conduit wiring : 1C, 2-1x16.0mm ² ; BRB/Jam/Sun	m	763.81
84-160-05	Surface Conduit Wiring : 3C, 1-3x1.5mm ² ; Eastern	m	233.06
84-160-10	Surface conduit wiring : 3C, 1-3x1.5mm ² ; BRB/Jam/Sun	m	257.30
84-160-15	Surface Conduit Wiring : 3C, 1-3x2.5mm ² ; Eastern	m	293.66
84-160-20	Surface conduit wiring : 3C, 1-3x2.5mm ² ; BRB/Jam/Sun	m	317.90
84-160-25	Surface Conduit Wiring : 3C, 1-3x4.0mm ² ; Eastern	m	414.86
84-160-30	Surface conduit wiring : 3C, 1-3x4.0mm ² ; BRB/Jam/Sun	m	366.38
84-160-35	Surface Conduit Wiring : 3C, 1-3x6.0mm ² ; Eastern	m	463.35
84-160-40	Surface conduit wiring : 3C, 1-3x6.0mm ² ; BRB/Jam/Sun	m	499.71
84-160-45	Surface Conduit Wiring : 3C, 1-3x10.0mm ² ; Eastern	m	742.12
84-160-50	Surface conduit wiring : 3C, 1-3x10.0mm ² ; BRB/Jam/Sun	m	669.40
84-190-05	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; Eastern	m	332.07
84-190-10	Concealed conduit wiring : 1C, 2-1x1.5mm ² ; BRB/Jam/Sun	m	319.95
84-190-15	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; Eastern	m	363.59
84-190-20	Concealed conduit wiring : 1C, 2-1x2.5mm ² ; BRB/Jam/Sun	m	363.59
84-190-25	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; Eastern	m	436.31
84-190-30	Concealed conduit wiring : 1C, 2-1x4.0mm ² ; BRB/Jam/Sun	m	399.95
84-190-35	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; Eastern	m	484.79
84-190-40	Concealed conduit wiring : 1C, 2-1x6.0mm ² ; BRB/Jam/Sun	m	484.79
84-190-45	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; Eastern	m	625.39
84-190-50	Concealed conduit wiring : 1C, 2-1x10.0mm ² ; BRB/Jam/Sun	m	572.06

K Mike   